


## E220P/160/IS/500 XL Roof fan



Usage: Insulated XL roof fan for ventilation. Inner pipe is made of galvanized sheet metal and has a lip seal. A VILPE<sup>®</sup> XL pass-through according to the roofing material is required separately.

Dimensions: Duct size Ø 160 mm, external Ø 300 mm, height above roof approx. 500 mm.

Contents: Roof fan, screws, Installation, operating and maintenance instructions. The P-series roof fans and exhaust ventilation pipes can be led watertightly with a pass-through set through a roof. VILPE<sup>®</sup> pass-through sets can be installed on any roofs with the most common pitches (less than 50 degrees). The pass-through set is always selected according to the roofing material of the roof. All the roof fans and exhaust ventilation pipes in the P-series are compatible with all pass-through set types. Using P-series XL roof fans and XL exhaust ventilation pipes requires an XL pass-through.



Color	Black
EAN Code	6410457345021
Product code	734502
Color Code RR	RR33
Color Code RAL	RAL9005
Delivery	Order
Gross weight	9.8000
Net Weight	6.6244

Duct size	160
Materials	expanded polystyrene, galvanized sheet steel , polypropene plastic (PP)
Package includes	cowl, fixing screws
Capacitor	2 µF
Current	0,39 A
Fan Type	AC
Power	88 W
Rotation Speed	2100 rpm
Voltage	230V/50Hz


› [VILPE.COM](http://VILPE.COM)

SK Tuote Oy  
Kauppatie 9, FI-65610 Mustasaari  
Telephone +358 20 123 3200

Sales & Technical Support | FI +358 20 123 3233 | EN +358 20 123 3222 | RU +358 20 123 3290 | SE +46 70 511 2020 | PL +48 71 740 2623  
myynti@sktuote.fi | sales@sktuote.fi

Page: 1  
08.06.2017

## E220P/160/IS/500 XL Roof fan



[VILPE.COM](http://VILPE.COM)

SK Tuote Oy  
Kauppatie 9, FI-65610 Mustasaari  
Telephone +358 20 123 3200

Sales & Technical Support | FI +358 20 123 3233 | EN +358 20 123 3222 | RU +358 20 123 3290 | SE +46 70 511 2020 | PL +48 71 740 2623  
myynti@sktuote.fi | sales@sktuote.fi

Page: 2  
08.06.2017

## E220P/160/IS/500 XL Roof fan



> **VILPE.COM**

SK Tuote Oy  
Kauppatie 9, FI-65610 Mustasaari  
Telephone +358 20 123 3200

Sales & Technical Support | FI +358 20 123 3233 | EN +358 20 123 3222 | RU +358 20 123 3290 | SE +46 70 511 2020 | PL +48 71 740 2623  
myynti@sktuote.fi | sales@sktuote.fi

Page: 3  
08.06.2017